

Ground Enhancing Material (GEM)

Estimated bags of GEM for backfilling around ground rods to a density of 1442 kg/m³ (90 lb/cu ft)

Diameter of Hole	Depth of Hole (feet)						
	1.8 m (6')	2.1 m (7')	2.4 m (8')	2.7 m (9')	5.2 m (17')	5.8 m (19')	6.1 m (20')
7.5 cm (3")	2	2	2	2	4	4	4
10.0 cm (4")	2	3	3	3	6	7	7
12.5 cm (5")	3	4	4	5	9	10	10
15.0 cm (6")	5	5	6	7	13	14	15
17.5 cm (7")	6	7	8	9	17	19	20
20.0 cm (8")	8	9	11	12	22	25	26
22.5 cm (9")	10	12	13	15	28	31	32
25.0 cm (10")	12	14	16	18	34	38	40

Regency Part # GEM